

# FibreCell®

“THE FIBRE SUPPLEMENT MADE OF NATURAL LIGNOCELLULOSE”



## 65% Fibre

- ▶ Guaranteed to be free of mycotoxins
- ▶ High swelling and water binding capacity
- ▶ Low acid neutralizing effect
- ▶ GMO-free
- ▶ For biological farming
- ▶ Wide range applications

## FibreCell's® AREA OF APPLICATIONS:

### BEST FOR BREEDING SOWS

- Good and long lasting saturation effect
- Improvement of faecal consistency
- ▶ Reduced MMA-risk



### BEST FOR PIGLETS AND FATTENING PIGS

- High fibre content
- Improvement of faecal consistency
- Especially in weaning period and early growth stage
- ▶ High efficacy in problem-herds



### BEST IN FATTENING POULTRY

- High fibre content
- Improvement of faecal consistency
- ▶ Lower infection pressure



Guaranteed to be free of mycotoxins: Continual analysis at LUFA-ITL GmbH, Kiel, Germany  
More than twice swelling and water binding properties compared to beet pulp  
Low acid neutralizing capacity

## PRACTICAL EXPERIENCE:

- ▶ Calming effect, less obesity
- ▶ Prevents constipation, dietetic effect in case of diarrhoea, clean sows
- ▶ Less need for medical treatment, cost saving

- ▶ Effective at low inclusion rates, minor influence on metabolizable energy, less cannibalism
- ▶ Prevents constipation, dietetic effect in case of diarrhoea
- ▶ Stabilizes digestive balance, maintains physiological gut motility <sup>1</sup>
- ▶ In addition to prophylactic medication

- ▶ Minor influence on metabolizable energy
- ▶ Keeps litter drier, less litter disposal
- ▶ Less need for medical treatment, cost saving <sup>2,3</sup>

1) Field trial with 20.000 fattening pigs Niedersachsen, Germany, 2006	ADWG	+3,7 %
	Medical treatment	-22 %
2) Field trial with 80.000 broilers Mecklenburg-Vorpommern, Germany, 2006	FC	-2,5 %
	Medical treatment	-36 %
3) Field trial with 70.000 broilers Mecklenburg-Vorpommern, Germany, 2006	ADWG	+1,8%
	Medical treatment	-20%

## FibreCell®

Natural Lignocellulose for Fibre Supplementation. Guaranteed to be free of Mycotoxins.

### DOSAGE:

Gestating/Breeding Sows	2 - 3 %	restricted feeding
	3 - 6 %	ad libitum feeding
Fattening Pigs	0,5 - 1,5 %	
Piglets	1 - 2 %	
Broilers	0,5 - 1,5 %	
Turkeys	1 - 2 %	in critical phases
Rabbits	2 - 5 %	

### PACKAGING:

25 kg bags  
Big bags  
Bulk

### VARIETIES:

Granulated  
Powdered

